## CSP-1050 Annual Wharf & RTG Crane Painting at BCT and BPT - 2019

CSI -1030 Annual Whall & RTG Crane Fainting at BCT and BFT - 2019  Sudget: \$1,300,000  4/2/2019 4:00 PM, 3rd Fl Cor				
Duaget: φ1,500,000	BLASTCO			
Project Relative Weight				Average Team Score
	<b>E</b> 1	<b>E2</b>	<b>E3</b>	100.00
Purchase Price - 45 pts	ACTUAL PRICE			RICE
Purchase Price Calculation per "Instruction to Respondents"	\$1,053,000.00			45.00
Vendor Reputation, Safety, Quality, Past Performance, Enviror	nmenta	l Record	d - 35 pt	:S
Reputation of Respondent and of Respondent's good or services - 10 pts	10.00	10.00	10.00	10.00
The Respondent's past performance - 10 pts	10.00	10.00	10.00	10.00
Quality of Respondent's goods or services - 10 pts	10.00	10.00	10.00	10.00
Safety and environmental records of Respondent - 5 pts	5.00	5.00	5.00	5.00
Total Average - Respondent's Reputation and Quality of Services	35.00	35.00	35.00	35.00
Benefit to PHA -15 pts				
Extent to which the goods or services meet the Port Authority's needs - 10 pts	10.00	10.00	10.00	10.00
Total long-term cost to the Port Authority to acquire the Respondent's goods or services - 5 pts	5.00	5.00	5.00	5.00
Total Average -Benefit to PHA	15.00	15.00	15.00	15.00
Small Business Participation and Local Business - 0 pts				
Calculation of Small Business participation will be performed by the Small Business Staff during the evaluation phase - 0 pts	0.00			0.00
Calculation of Local Business participation will be performed by the Small Business Staff during the evaluation phase - 0 pts	0.00			0.00
Total Average - Small Business Participation and Local Business	0.00			0.00
Compliance with PHA Policies and Instructions - 5 pts				
Full completion of the Competitive Sealed Bid/Proposal Response form and submission of the items required by the Bid/Proposal Documents, including all items set forth in Part C of the Competitive Sealed Bid/Proposal Response form	5.00	5.00	5.00	5.00
Total Average - Compliance with PHA Policies and Instructions	5.00	5.00	5.00	5.00
TEAM AVERAGE TOTAL SCORES				100.00