Port of Houston Authority Evaluation Form for RFQ Project: RFQ - 101 Drainage Improvements at Volkswagen Yard Date: September 26, 2016 Time: 10:00 A.M.

Budget \$75,000		1				
	1		2	3	4	
Vendor	Respondent's (and Subconsultant's (and Applicable) Reputation and Quality of Services	Personnel (Including Subconsultant Personnel, if Qualificable) Experience Experience	Performance Plan and Other Benefits	Overall Compliance with PHA Policies	Total Score	Comments
Project Relative Weight (%)	25%	40%	20%	15%	100	
CivilTech Engineering, Inc. 11821 Telge Road Cypress, Texas 77429	25	40	20	15	100	 Reputation and quality is excellent. Personnel highly qualified and TxDOT experience very relevent. Performance plan is excellent and availability of team is high. Complies with PHA policies. Package is complete.
BGE, Inc. 10777 Westheimer Road, Ste. 400 Houston, Texas 77042	25	39	20	15	99	 Reputation and quality is excellent. Personnel highly qualified and TxDOT experience relevent. Performance plan is excellent and availability of team is high. Complies with PHA policies. Package is complete.
Freese and Nichols 10497 Town & Country Way Ste. 600 Houston, Texas 77024	25	37	17	15	94	 Reputation and quality is excellent. Personnel qualified and TxDOT experience relevent. Performance plan is good and availability of team is adequate. Complies with PHA policies. Package is complete.

Port of Houston Authority Evaluation Form for RFQ Project: RFQ - 101 Drainage Improvements at Volkswagen Yard Date: September 26, 2016 Time: 10:00 A.M.

Budget \$75,000										
	1		2	3	4					
Vendor	Respondent's (and Subconsultant's (and Applicable) Reputation and Quality of Services	Personnel (Including Subconsultant Applicable) Esperience Esperience and	Performance Plan and Other Benefits	Overall Compliance with PHA Policies	Total Score	Comments				
Project Relative Weight (%)	25%	40%	20%	15%	100					
HDR, Inc. 4828 Loop Central Drive, Ste. 800 Houston, Texas 77081	25	35	19	15		 Reputation and quality is excellent. Personnel qualified and TxDOT experience not as relevent. Performance plan is excellent and availability of team is above adequate. Complies with PHA policies. Package is complete. 				
	The following respondents were not ranked among the top 4 and are listed in alphabetical order below.									
EMH&T										
RPS-Klotz and Associates										
Shelmark Engineering, Inc.										